



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/709,462	05/07/2004	Hou-Wei Lin	REAP0033USA	3461
27765	7590	05/14/2008		
NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION P.O. BOX 506 MERRIFIELD, VA 22116			EXAMINER PEREZ, JAMES M	
			ART UNIT	PAPER NUMBER
			2611	
			NOTIFICATION DATE	DELIVERY MODE
			05/14/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

winstonhsu.uspto@gmail.com
Patent.admin.uspto.Rcv@naipo.com
mis.ap.uspto@naipo.com.tw

Office Action Summary	Application No. 10/709,462	Applicant(s) LIN ET AL.	
	Examiner JAMES M. PEREZ	Art Unit 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 January 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4,8,9 and 11-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4,8,9 and 11-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 May 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Detailed Action

This Office Action is responsive to amendments in No. 10/709,462, filed on 1/15/2008. Currently claims 1-4, 8-9, and 11-26 are pending, wherein claims 21-26 are newly added.

Response to Arguments

1. Applicant's arguments with respect to claims 1, 12, and 17, have been fully considered but they are not persuasive.

As for claim 1, on page 2, the Applicant argues "selectively utilizing different amounts of thresholds to quantize the equalized signal." Note claim 1 does not include this limitation.

The limitation of claim 1 which the applicant is referring to (claim 1, page 2, lines 8-11) states:

"...selectively utilizing a first amount of one or more thresholds or a second amount of one or more thresholds to quantize the equalized signal..., wherein the first amount is different from the second amount." Note that the claim only states that the device uses a first amount or a second amount therefore when said second amount is not used (as disclosed by Dagdeviren (US 2004/0120426: paragraph 5)), the negation of the second amount would occur (wherein the second amount would not exist).

Therefore the first amount being different than the second amount would not be enabling to one of ordinary skill in the art at the time of the invention. As such "Jones in view of Kuo" would obviate applicant's claimed invention with respect to one of ordinary skill in the art at the time of invention.

Furthermore the examiner shows that the word “amount” in the context of claim 1, is capable of being interpreted as ‘a set or group.’ This interpretation is further supported by Merriam-Webster dictionary, wherein amount is defined as “the whole effect, significance, or import.” Thus Jones does in fact disclose using different amounts [sets] of thresholds (where each whole number uses its own set of threshold values) for each number in order to quantize the input signal, wherein the first amount and second amount are different in value (figs. 3A-C: col. 7, line 38 through col. 8, line 40).

Further evidence of a proper rejection by the examiner is found in that even if “amount” is interpreted to mean quantities, the limitations of claim 1, on page 2, lines 15-27 (as disclosed by Kuo) would obviously require “selectively utilizing different amounts [quantities] of thresholds to quantize the equalized signal.” Kuo (which discloses the claim 1 limitations found on page 2, lines 15-27) suggests in an example selectively utilizing different quantities of thresholds at different instances to quantize the equalized signal (Kuo: col. 4, lines 40-48: note the distinction between digital signal value and absolute value of the digital signal).

Kuo col. 4, lines 40-48 (note the distinction between digital signal value and absolute value of the digital signal) states:

“[T]he equalizer 402 quantizes the received digital signal. For example, when the digital signal is smaller than the threshold, the digital signal is quantized to a level of “zero”. When the absolute value of the digital signal is larger than “DC+threshold”, the digital signal is quantized to the “positive” level. When the absolute value of the digital

signal is smaller than "DC+threshold", the digital signal is quantized to a "negative" level."

Note the order of the comparisons wherein the digital signal is compared to the threshold, then the absolute value of the digital signal is compared to "DC+threshold". The process as stated above is capable ending after only the first comparison, therefore this example suggests selectively utilizing different amounts [quantities] of thresholds to quantize the equalized signal. Wherein "Jones in view of Kuo" would obviate applicant's claimed invention in claim 1 with respect to one of ordinary skill in the art at the time of invention.

The Examiner also asserts that applicant's arguments of independent claims 12 and 17 are not persuasive for at least the same reasons as claim 1 stated above.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 9, 11-20, 22, 24, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jones (USPN 6873279) in view of Kuo (USPN 7145968).

With regards to claims 1 and 12, Jones teaches a signal processing device for processing a received signal to generate a sliced signal (**fig. 1: output of element 116**), comprising:

an equalizer (**fig. 1: element 112**) for generating an equalized signal according to the received signal (**fig. 1: output of element 112**);

a multilevel quantizer (**fig. 1: element 116**) coupled with the equalizer (**fig. 1: element 112 to 116**) for selectively utilizing a first amount of one or more thresholds (**figs 3a-c: Max 0, Min1, Max1, and Min2: col. 2, col. 7, line 39 to col. 8, line 39**) or a second amount of one or more thresholds (**fig. 3a-c: T_{0-1} and T_{1-2} : figs 3a-c: Max 0, Min1, Max1, and Min2: col. 2, col. 7, line 39 to col. 8, line 39**) to quantize the equalized signal in order to generate the sliced signal (**fig. 1: output of element 116**), wherein the first amount is different from the second amount (**col. 7, lines 39 to col. 8, lines 39: note that the first and second amounts have the capability to have different values therefore they are different from each other**);

a control logic (**col. 2, lines 37-40**) for controlling the multilevel quantizer to quantize the equalized signal by the first amount of threshold/thresholds or the second amount of threshold/thresholds (**col. 4, lines 26-33**);

Jones is silent with respect to teaching a control logic controls the multilevel quantizer by executing the following steps: comparing the equalized signal with a predetermined level for a first difference; comparing the equalized signal with a predetermined constant for a second difference; controlling the multilevel quantizer to quantize the equalized signal by the first amount of threshold/thresholds for the sliced signal, in the case of the first difference and the second difference having the same signal (positive/negative); and controlling the multilevel quantizer to quantize the equalized signal by the second amount of threshold/thresholds for the sliced signal, in

the case of the first difference and the second difference having different signs
(positive/negative)

Kuo teaches the control logic which controls the multilevel quantizer by executing the following steps:

Comparing the equalized signal with a predetermined level for a first difference
(fig. 4: col. 4, lines 29-47);

Comparing the equalized signal with a predetermined constant for a second difference **(fig. 4: col. 4, lines 29-47);**

Controlling the multilevel quantizer to quantize the equalized signal by the first amount of threshold/thresholds for the sliced signal, in the case of the first difference and the second difference having the same signal **(first mode)** (positive/negative) **(fig. 4: col. 4, lines 29-47);** and

Controlling the multilevel quantizer to quantize the equalized signal by the second amount of threshold/thresholds for the sliced signal, in the case of the first difference and the second difference having different signs **(second mode)** (positive/negative) **(fig. 4: col. 4, lines 29-47).**

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder **(Kuo: col. 1, line 54 to col. 2, line 4).**

With regards to claim 9, Jones in view of Kuo teaches the device of claim 1.

Jones is silent with respect to teaching the control logic wherein the control logic controls the multilevel quantizer according to the following steps: controlling the multilevel quantizer to quantize the equalized signal by the first amount of threshold/thresholds for the sliced signal, in the case of the first difference being less than a predetermined value and the first difference and the second difference having the same sign (positive/negative); and controlling the multilevel quantizer to quantize the equalized signal by the second amount of threshold/thresholds for the sliced signal, in the case of the first difference being larger than the predetermined value and the first difference and the second difference having different signs (positive/negative).

Kuo teaches the control logic wherein the control logic controls the multilevel quantizer according to the following steps:

controlling the multilevel quantizer to quantize the equalized signal by the first amount of threshold/thresholds for the sliced signal, in the case of the first difference being less than a predetermined value and the first difference and the second difference having the same sign (positive/negative) (**fig. 4: col. 4, lines 29-47**); and

controlling the multilevel quantizer to quantize the equalized signal by the second amount of threshold/thresholds for the sliced signal, in the case of the first difference being larger than the predetermined value and the first difference and the second difference having different signs (positive/negative) (**fig. 4: col. 4, lines 29-47**).

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount

of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder (**Kuo: col. 1, line 54 to col. 2, line 4**).

With regards to claim 11, Jones in view of Kuo teaches the device of claim 1.

Jones further teaches the device wherein the sliced signal output by the multilevel quantizer has a plurality of bits (**fig. 3A: note that the signal is sliced into more than 2 numbers, therefore the output of the slicer has to contain a plurality of bits**).

With regards to claim 13, Jones in view of Kuo teaches the signal processing device of claim 12. Jones is silent to teaching the control logic further executing the following step: determining whether the first value is less than a predetermined value, so as to determine that the quantizer is in the first status or second status.

Kuo teaches the control logic further executing the following step:

determining whether the first value is less than a predetermined value, so as to determine that the quantizer is in the first status or second status (**fig. 4: col. 4, lines 29-47: absolute value and DC level+Threshold**).

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder (**Kuo: col. 1, line 54 to col. 2, line 4**).

With regards to claim 14, Jones in view of Kuo teaches claim 12.

This claim is reject under the same rationale as claim 1 above.

With regards to claim 15, Jones in view of Kuo teaches claim 14.

This claim is reject under the same rationale as claim 1 above. Note that “same/different attribute” is equivalent to the “same/different sign” in claim 1.

With regards to claim 16, Jones in view of Kuo teaches claim 12.

This claim is reject under the same rationale as claim 1 above. Note that “substantially correct/incorrect” is equivalent to the “same/different sign” in claim 1.

With regards to claim 17, Jones teaches a signal processing method for generating a sliced signal according to a received signal, comprising:

generating an equalized signal (**fig. 1: element 112**) according to the received signal (**fig. 1: input signal from Channel**);

generating the sliced signal (**output of element 116**) according to the equalized signal and a first amount of threshold/thresholds when a first sliced mode is applied (**fig. 3a: Max 0, Min1, Max1, and Min2: col. 2, col. 7, line 39 to col. 8, line 39**), and generating the sliced signal (**output of element 116**) according to the equalized signal (**fig. 1: elements 112 coupled to element 116**) and a second amount of threshold/thresholds when a second sliced mode is applied (**fig. 3a: current T_{0-1} and T_{1-2}**).

Jones is silent with respect to teaching the slicer applying one of the first slice mode and the second slice mode according to the follow steps: subtracting the equalized signal from a predetermined level to obtain a first value; determining whether the sliced signal is substantially correct or substantially incorrect according to the first value; if the sliced signal is substantially correct, applying the first slice mode; and if the sliced signal is substantially incorrect, applying the second slice mode; wherein the first amount of threshold/thresholds is different from the second amount of threshold/thresholds.

Kuo teaches the slicer applying one of the first slice mode and the second slice mode according to the follow steps:

subtracting the equalized signal from a predetermined level to obtain a first value **(fig. 4: col. 4, lines 29-47: absolute value of the signal and DC+threshold);**

determining whether the sliced signal is substantially correct or substantially incorrect according to the first value **(fig. 4: col. 4, lines 29-47: absolute value of the signal and DC+threshold);**

if the sliced signal is substantially correct, applying the first slice mode **(fig. 4: col. 4, lines 29-47);** and

if the sliced signal is substantially incorrect, applying the second slice mode; wherein the first amount of threshold/thresholds is different from the second amount of threshold/thresholds **(fig. 4: col. 4, lines 29-47).**

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount

of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder (**Kuo: col. 1, line 54 to col. 2, line 4**).

With regards to claim 18, Jones in view of Kuo teaches the method of claim 17.

Jones is silent with respect to teaching the method further comprising the following step: determining whether the first value is less than a predetermined value, so as to determine that the sliced signal is substantially correct or substantially incorrect.

Kuo teaches the method further comprising the following step:

determining whether the first value is less than a predetermined value, so as to determine that the sliced signal is substantially correct or substantially incorrect (**fig. 4 and fig. 9: col. 4, lines 29-47: absolute value of the signal and DC+threshold**).

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder (**Kuo: col. 1, line 54 to col. 2, line 4**).

With regards to claim 19, Jones in view of Kuo teaches the method of claim 17.

Jones is silent with respect to teaching the method further comprising the following steps: subtracting the equalized signal from a predetermined constant to obtain a second value; and comparing the first value with the second value, so as to determine that the sliced signal is substantially correct or substantially incorrect.

Kuo teaches the method further comprising the following steps:

subtracting the equalized signal from a predetermined constant to obtain a second value (**fig. 4 and fig. 9: col. 4, lines 29-47**); and

comparing the first value with the second value, so as to determine that the sliced signal is substantially correct or substantially incorrect (**fig. 4 and fig. 9: col. 4, lines 29-47**).

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder (**Kuo: col. 1, line 54 to col. 2, line 4**).

With regards to claim 20, Jones in view of Kuo teaches the method of claim 19.

Jones is silent with respect to teaching the method further comprising: comparing the first value with the second value, so as to determine whether the first and second values have the same attribute and thereby determine that the sliced signal is substantially correct or substantially incorrect.

Kuo teaches the method further comprising: comparing the first value with the second value, so as to determine whether the first and second values have the same attribute and thereby determine that the sliced signal is substantially correct or substantially incorrect (**fig. 4 and fig. 9: col. 4, lines 29-47**).

Therefore it would be obvious to one of ordinary skill at the time that the invention was made to modify the teachings of Jones in view Kuo in order to shorten the amount

of time consumed for mending errors caused by continuous decoding operations in a Viterbi decoder (**Kuo: col. 1, line 54 to col. 2, line 4**).

With regards to claims 22, 24, and 26, Jones in view of Kuo teaches the limitations of claims 1, 12, and 17.

Jones further teaches wherein all of the thresholds for the multilevel quantizer remain the same while the equalized signal varies (col. 1, lines 10-51).

4. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jones (USPN 6873279) in view of Kuo (USPN 7145968) as applied to claim 1 above, and further in view of Jayaraman (USPN 7046726).

With regards to claim 2, Jones in view of Kuo teaches the device of claim 1. Jones teaches an adaptive equalizer which could be a feed-forward equalizer (FFE), or a feed-forward equalizer (FFE) (**Jones fig. 1: 112; col. 6 lines 4-7**).

Jones in view of Kuo are silent with respect to teaching the device comprises a feed-forward equalizer (FFE), and feed-back equalizer (FBE), and an adder coupled respectively with the FFE and the FBE for outputting the equalized signal according to signals outputted from the FFE and the FBE.

Jayaraman teaches the device wherein the equalizer comprises a feed-forward equalizer (FFE) (**fig. 2: element 306**), and feed-back equalizer (FBE) (**fig. 2: element 310**), and an adder (**fig. element 308**) coupled respectively with the FFE and the FBE

for outputting the equalized signal according to signals outputted from the FFE and the FBE (**fig. 2**).

Therefore, it would have been to one of ordinary skill in the art at the time of the invention to modify Jones with the teaching of Jayaraman since Jones teaches FFE or FBE and Jayaraman teaches the beneficial use of FFE and FBE (Jayarama fig. 2: 306, 310) such as to reduce linear distortion over a variety of operating conditions (Jayarama col. 1 line 55-60) in the analogous art of equalization.

5. Claims 3-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jones (USPN 6873279) in view of Kuo (USPN 7145968) as applied to claim 1 above, and further in view of Strolle USPN (5799037).

With regards to claim 3, Jones in view of Kuo teaches the device of claim 1.

Jones in view of Kuo are silent with respect to teaching a derotator coupled between the equalizer and the multilevel quantizer for derotating the equalized signal and inputting the derotating equalized signal into the multilevel quantizer; and a rotator coupled between the multilevel quantizer and the equalizer for rotating the sliced signal outputted from the multilevel quantizer and inputting the rotated sliced signal into the equalizer.

Strolle teaches a derotator (fig. 7: element 903) coupled (electrically coupled) between the equalizer (fig. 7: element 900) and the multilevel quantizer (fig. 7: element 905: col. 14, lines 16 to 19) for derotating the equalized signal (fig. 7: output of element

900) and inputting the derotated equalized signal into the multilevel quantizer (fig. 7: input of element 905); and a rotator (fig. 7: elements 916 and 918) coupled between the multilevel quantizer (fig. 7: element 905) and the equalizer (fig. 7: element 900) for rotating the sliced signal outputted from the multilevel quantizer (fig. 7: element 905) and inputting the rotated sliced signal into the equalizer (fig. 7: element 902). Both rotators perform their function on the signal outputted from the multilevel quantizer (fig. 7: element 905) and the signals outputted from the rotators lead to the input of the adaptive equalizer (fig. 7: element 900); therefore the rotators are coupled between the multilevel quantizer and the equalizer.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Jones in view of Kuo with the teaching of Strolle since Strolle teaches the beneficial use of rotator and derotator elements such as create a receiver that demodulates a plurality of signal formats using common circuitry (**Strolle: col. 1, lines 50-53**) in the analogous art of equalization.

With regards to claim 4, Jones in view of Kuo in further view of Strolle teaches the device of claim 3. Jones in view of Kuo are silent with respect to teaching the device wherein the rotator is coupled with a feed-back equalizer (FBE) of the equalizer for rotating the sliced signal, and the rotated sliced is a passband signal ().

Strolle teaches the device wherein the rotator (fig. 7: elements 918 and 916) is coupled with a feed-back equalizer (FBE) of the equalizer for rotating the sliced signal (**fig. 7: elements 936 and 938**), and the rotated sliced is a passband signal (**signal**

from the channel obviously a passband signal since it is a signal passing through the channel and the channel obviously has a limited bandwidth).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Jones in view of Kuo with the teaching of Strolle since Strolle teaches the beneficial use of rotator and derotator elements such as create a receiver that demodulates a plurality of signal formats using common circuitry (**Strolle: col. 1, lines 50-53**) in the analogous art of equalization.

6. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jones (USPN 6873279) in view of Kuo (USPN 7145968) as applied to claim 1 above, and further in view of Samarasooriya (US 20010024479).

With regards to claim 8, Jones in view of Kuo teaches the device of claim 1.

Jones in view of Kuo are silent with respect to teaching the device wherein the predetermined constant is determined by a constant modulus algorithm.

Samarasooriya teaches the device wherein the predetermined constant is determined by a constant modulus algorithm (**paragraph 3**).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Jones in view of Kuo with the teaching of Samarasooriya in order to provide an enhanced method and system for alleviating the adverse effects of pipeline delays in a carrier recovery loop when the system (**Samarasooriya: paragraphs 1 and 6**).

7. Claims 21-26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jones (USPN 6873279) in view of Kuo (USPN 7145968) as applied to claims 1, 12, and 17 above, and further in view of Endres (USPN 6,668,014).

With regards to claims 21, 23, and 25, Jones in view of Kuo teaches the limitations of claims 1, 12, and 17.

Jones does not explicitly teach the multilevel quantizer utilizes the first amount of the threshold/thresholds to quantize the equalized signal to generate the sliced signal with a first number of bit/bits, and utilizes the second amount of the threshold/thresholds to quantize the equalized signal to generate the sliced signal with a second number of bit/bits which is different from the first number of bit/bits.

Endres teaches the multilevel quantizer utilizes the first amount of the threshold/thresholds to quantize the equalized signal to generate the sliced signal with a first number of bit/bits (col. 6, line 45 through col. 7, line 23), and utilizes the second amount of the threshold/thresholds to quantize the equalized signal (col. 6, line 45 through col. 7, line 23) to generate the sliced signal with a second number of bit/bits which is different from the first number of bit/bits (col. 6, line 45 through col. 7, line 23).

Therefore it would be obvious to one of ordinary skill in the art at the time of the invention to modify the equalizer and slicing system and methods of Jones with the equalizer and slicing methods of Endres in order to increase efficiency of an equalizer and slicing circuitry by using the optimal number of threshold levels to quantize the input

signal as dependent on the complexity of the situation and input signal (col. 3, line 62 through col. 4, line 37).

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Perez whose telephone number is (571) 270-3231. The examiner can normally be reached on Monday - Friday, 7:30am to 5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marvin Lateef can be reached on (571) 272-5026. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. M. P./

Examiner, Art Unit 2611

4/16/2008

/Shuwang Liu/

Supervisory Patent Examiner, Art Unit 2611